

STRIDR Project Meeting

To: S. Sampson | From: Taylor & Ian

Where We're At

Intangible

After moving into production, there's not much intangible stuff anymore.

Tangible

The 'Experiments!' section is now, more or less, tangibles contributing directly to the project. See that section for details. Broken down, it includes:

- Sign in/up functionality
- Pulling Twitter data
- Full Twitter functionality
- Full YouTube/Facebook functionality
- Simultaneous Social logins functionality
- Pinterest functionality
- Tumblr functionality
- Accounts page
- Settings page
- Filtering the user's feed
- Recommender working
- Creating mockup data (failed)

What We're Behind On

We're all caught up and can safely say we're finished enough to present the project. (As finished as something like this can be).

What's Next

Step 1. Deploy the app Step 2. Market the app Step 3. ??? Step 4. Profit

🕑 toggl




Time Spent: Month 3

*Attached PDFs breakdown time by week.

Summary report

2017-03-05 - 2017-04-08 Total 144 h 33 min

Ian McKenzie, Taylorleach selected as users STRIDR MVP selected as projects





🕑 toggl





Time Spent: Grand Total

Summary report

2017-01-08 - 2017-04-08 Total 303 h 56 min

Ian McKenzie, Taylorleach selected as users STRIDR MVP selected as projects









Sign Up
Email Address
Password (6 characters minimum)
Confirm Password
Sign Up
f Sign in with Facebook
Sign in with Twitter
G Sign in with Google
By registering, you agree to the privacy policy and terms of service.
Already have an account? Sign In

Experiments!

Sign in/Sign up

Taylor has created sign in/up pages, and Ian has implemented functionality for them. Options are: Sign up with email, Facebook, Twitter, and Google. Figuring out sign up with Twitter helped Ian figure out signing up with Facebook and Google, as well as how to pull data from Twitter.

	Sign	gU			
				_	
f Sign in with Facebook		Email Addres	SS		
Sign in with Twitter		Password (6	characters minimum)		
G Sign in with Google		Confirm Pass	sword		
By registering, you agree to the priva and terms of service.	icy policy		Sign Up		
				-	
A	Iready have an ac	count? Sign In			



Pulling Twitter Data

A substantial breakthrough in building the app, Ian has figured out how to pull all necessary social data from the Twitter API. With the technologies being used, this way of pulling data can be easily transferred to most other social platforms. Proof of concept:



ccessfully authenticated from Twitter account.

Customize Feed Account Sign Out

Kelcome back, Ian [#<OmniAuth::AuthHash blocked_by=false blocking=false contributors_enabled=false


created_at="Mon Sep 19 03:31:28 +0000 2016" default_profile=false default_profile_image=false description="Knight of the Round Table, Dark Age of Camelot" entities=#<OmniAuth::AuthHash description=#<OmniAuth::AuthHash urls=# <Hashie::Array []>> url=#<OmniAuth::AuthHash urls=#<Hashie::Array [#<OmniAuth::AuthHash display_url="darkageofcamelot.com" expanded_url="http://www.darkageofcamelot.com/" indices=#<Hashie::Array [0, 23]> url="https://t.co/hBmPSIbYJc">]>>> favourites_count=0 follow_request_sent=false followers_count=7 following=true friends_count=40 geo_enabled=false has_extended_profile=true id=777711678167277568 id_str="777711678167277568" is_translation_enabled=false is_translator=false lang="en" listed_count=0 live_following=false location="New Zealand" muting=false name="crzdkiwi" notifications=false profile_background_color="000000" profile_background_image_url="http://abs.twimg.com/images/themes/theme1/bg.png" profile_background_image_url_https="https://abs.twimg.com/images/themes/theme1/bg.png" profile background tile=false profile_banner_url="https://pbs.twimg.com/profile_banners/777711678167277568/1474340301" profile_image_url="http://pbs.twimg.com/profile_images/778065804801679361/0AVVrKvT_normal.jpg" profile_image_url_https="https://pbs.twimg.com/profile_images/778065804801679361/0AVVrKvT_normal.jpg" profile_link_color="ABB8C2" profile_sidebar_border_color="000000" profile_sidebar_fill_color="000000" profile_text_color="000000" profile_use_background_image=false protected=false screen_name="crzdkiwi" statuses_count=4 time_zone="Wellington" translator_type="none" url="https://t.co/hBmPSlbYJc" utc_offset=46800 verified=false>, #<OmniAuth::AuthHash blocked_by=false blocking=false contributors_enabled=false created_at="Thu Sep 10 22:44:01 +0000 2015" default_profile=false default_profile_image=false description="Community news for #PokemonGO worldwide. Not affiliated with Nintendo, The Pokémon Company, or Niantic Labs. Contact our team: business@pokemongo.news" entities=#<OmniAuth::AuthHash description=#<OmniAuth::AuthHash urls=# <Hashie::Array []>> url=#<OmniAuth::AuthHash urls=#<Hashie::Array [#<OmniAuth::AuthHash display_url="facebook.com/pokemongonews/" expanded_url="http://www.facebook.com/pokemongonews/" indices=# <Hashie::Array [0, 23]> url="https://t.co/ZQhIDiCpjq">]>>> favourites_count=793 follow_request_sent=false followers_count=972889 following=true friends_count=82 geo_enabled=false has_extended_profile=false id=3520122318 id_str="3520122318" is_translation_enabled=false is_translator=false lang="en" listed_count=1281 live_following=false location="" muting=false name="Pokémon GO News" notifications=false profile_background_color="000000" profile_background_image_url="http://abs.twimg.com/images/themes/theme1/bg.png" profile_background_image_url_https="https://abs.twimg.com/images/themes/theme1/bg.png" profile_background_tile=false profile_banner_url="https://pbs.twimg.com/profile_banners/3520122318/1482447772" profile_image_url="http://pbs.twimg.com/profile_images/807480679566979072/VnDNey32_normal.jpg" profile_image_url_https="https://pbs.twimg.com/profile_images/807480679566979072/VnDNey32_normal.jpg" profile_link_color="DD2E44" profile_sidebar_border_color="000000" profile_sidebar_fill_color="000000" profile_text_color="000000" profile_use_background_image=false protected=false screen_name="PokemonGoNews" statuses_count=1398 time_zone="Central Time (US & Canada)" translator_type="none" url="https://t.co/ZQhIDiCpjg" utc_offset=-18000 verified=false>, #<OmniAuth::AuthHash blocked_by=false blocking=false contributors_enabled=false created_at="Fri Oct 03 22:04:17 +0000 2014" default_profile=true default_profile_image=false description="Step outside and discover @Pokemon in the real world! Follow for official updates. Get up and GO!" entities=#<OmniAuth::AuthHash description=#<OmniAuth::AuthHash urls=#<Hashie::Array []>> url=#<OmniAuth::AuthHash urls=#<Hashie::Array [# <OmniAuth::AuthHash display_url="pokemongo.com" expanded_url="http://www.pokemongo.com" indices=# <Hashie::Array [0, 23]> url="https://t.co/WjeReR0qiP">]>>> favourites_count=6 follow_request_sent=false followers_count=2210329 following=true friends_count=16 geo_enabled=false has_extended_profile=false id=2839430431 id_str="2839430431" is_translation_enabled=false is_translator=false lang="en" listed_count=3050 live_following=false location="" muting=false name="Pokémon GO" notifications=false profile_background_color="C0DEED" profile_background_image_url="http://abs.twimg.com/images/themes/theme1/bg.png" profile_background_image_url_https="https://abs.twimg.com/images/themes/theme1/bg.png" profile_background_tile=false profile_banner_url="https://pbs.twimg.com/profile_banners/2839430431/1487202538"

profile_image_url="http://pbs.twimg.com/profile_images/750741005175959552/c6fEtZH4_normal.jpg" profile_image_url_https="https://pbs.twimg.com/profile_images/750741005175959552/c6fEtZH4_normal.jpg"



Full Twitter functionality!


After parsing the hash and refining the database, Twitter suggestions can now be presented in a unified way.





Full YouTube and Facebook functionality!

All necessary data can be pulled and presented properly from YouTube and Facebook!





Simultaneous Social Logins

After various trial and error, Ian had eventually submitted to doing it 'the wrong way' to get things working. Fortunately, doing it the wrong way helped him to figure out 'the right way!'

As of this writing (3/26), Stridr can interact with multiple social APIs for a single user at the same time. Previously, once you logged in with a platform, Stridr could only pull data for that single platform and associate the social data with the user from that single platform.

Another big break-through to having a fully functional application from its designed intent!



Pinterest Token: ASn1Mz2iKb623k7uqCdyg73LflJLFK-av44wdnFD4zhS04A_9AAAAAA

Google Token: 1/y1uFL-uZF-5U8qtS12o8nUYk2m08GxSzizNe8133xcU

Facebook Token:

EAAXVOUfed8oBAJs9yoBGMUxaiRs99RHvPjZAQ1ITK7BJT6Ak4Yrw1l6ZCzJnOwnxVwE34xZ

Twitter Username: ianrandmckenzie






Full Pinterest functionality!

This one was tough. While we assume that ALL social APIs require their developer users to run HTTPS in production, Pinterest also requires developers to have an SSL certificate on their localhost. This resulted in quite a bit of time engaging in trial and error, and a truckload of exasperation.

Pinterest had an interesting side effect of stimulating lan to figure out simultaneous logins. Because lan's original social connection required an email, he had to figure out a different way of doing things since Pinterest doesn't provide developers with a user's email, even with a full scope of permissions.






Full Tumblr functionality!

After figuring out four other social APIs, and having access to a platform supported interface for accessing their API in Ruby, Tumblr was, by all comparison, a breeze.

There was a special consideration, to make, however. Tumblr has pages that are considered "nsfw" – Not Safe For Work. i.e., pornography. Thankfully, Tumblr's API has data to flag these pages. Stridr has functionality to omit NSFW pages from its database. The amusing part is that in order to test and ensure an NSFW page isn't added, we had to find and follow an NSFW page. In essence, part of our school homework was to look up pornography.





Accounts Connection Page

After resolving simultaneous logins, Taylor has implemented an amazingly professional looking, simple layout for connecting social pages to Stridr. The icons/names link to an authentication redirect. Once the user model is updated with the appropriate token, the view shows a confirmation icon that the social account is connected.

STRIDR			~	Accounts	Settings	Sign Out
	Account	-				
	Accounts					
	You can link your other social media accounts to amount of contet in your feed! You can toggle wha the feed using the toggle menu in the navigation.					
	Facebook	0				
	O Instagram	۸				
	Pinterest	8				
	t Tumblr	\otimes				
	y Twitter	0				
	YouTube (via Google)	*				



Settings Page


The options for account settings are available to users who want to change their details or delete their account.

STRIDR		~	Accounts	Settings	Sign Out
	Edit Profile				
	You are already signed in.		_		
	Username Ian McKenzie				
	Email ian.rand.mckenzie@gmail.com Password (leave blank if you don't want to change it)				
	6 characters minimum Password confirmation				
	Current password (we need your current password to confirm your changes)				
	Update				
	Unhappy with your experience?				
	Delete Account				



Filtering the feed

Filtering options for the feed have been added so that users may omit suggestions from social platforms they're not interested in. Again, a simple, straight-forward layout.





Creating Mockup Data / Testing Recommender

After a full Sunday running late into the night, a recommender prototype was successfully created using data objects automatically generated simply with id numbers and names using the Faker ruby gem. This code was copied over to Stridr. At present, there is no way to test the recommender with the scale of data necessary to get the recommender working properly.

Attempts were made to create mockup data by pulling all of the likes/follows of the user that authenticates the app. Due to data rate limits and privacy settings for each platform, it is currently not possible to generate fake profiles with real data on the scale necessary for proper testing.

witter::Error::Forbidden in Users::OmniauthCallbacksController#twitter		
our credentials do not allow access to this resource		
Extracted source (around line #391):		
389 end 390		
<pre>391 twitter_users = twitter_client.friends(mockup_user.twitter_username).to_h 392</pre>		
392 393 @now_pages = [] 394		
Rails.root: /Users/ianmckenzie/workspace-ruby/Stridr		
Application Trace Framework Trace Full Trace		
app/controllers/users/omniauth_callbacks_controller.rb:391rin_`add_twitter_likes_for_mockup' app/controllers/users/omniauth_callbacks_controller.rb:223rin_`block_in_add_twitter_likes'		
app/controllers/users/omniauth_callbacks_controller.rbi22iin_block_ih acd_twitter_likes_ app/controllers/users/omniauth_callbacks_controller.rbi22iin_acch_		
app/controllers/users/omniauth_callbacks_controller.rb:222:in `add_twitter_likes'		
app/controllers/users/omniauth_callbacks_controller.rb:109:in `twitter'		
Request		
Parameters		

Yt::Errors::Forbidden in Users::OmniauthCallbacksController#google_oauth2

A request to YouTube API was considered forbidden by the server: {"error"=>{"errors"=>[{"domain"=>"usageLimits", "reason"=>"dailyLimitExceededUnreg", "message"=>"Daily Limit for Unauthenticated Use Exceeded. Continued use requires signup.", "extendedHelp"=>"https://code.google.com/apis/console"}], "code"=>403, "message"=>"Daily Limit for Unauthenticated Use Exceeded. Continued use requires signup."}} You can retry the same request manually by running: curl -X GET -H "content-length: 0" -H "useragent: Yt::Request (gzip)" -H "host: www.googleapis.com" "https://www.googleapis.com/youtube/v3/channels?forUsername=&part=id"

Extracted source (around line #352):					
350	<pre>@new_pages = []</pre>				
351 352	youtube_client.subscribed_channels.each do channel				
353	€new_pages << {				
354	:page_name => channel.title,				
355	:follow_count => channel.subscriber_count,				
Rail	s.root: /Users/ianmckenzie/workspace-ruby/Stridr				

Application Trace | Framework Trace | Full Trace

app/controllers/users/omniauth_callbacks_controller.rbi352:in `add youtube_likes_for_mockup' app/controllers/users/omniauth_callbacks_controller.rbi152:in `block in add youtube_likes' app/controllers/users/omniauth_callbacks_controller.rbi152:in `each' app/controllers/users/omniauth_callbacks_controller.rbi152:in `add youtube_likes' asp/controllers/users/omniauth_callbacks_controller.rbi45iin `adoute_likes'

Request

Parameters